



车架/FRAME



序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	272321511001	车架焊合	Frame welded	1	
2	271521521070	阀杆座	Valve stem	1	
3	255021520100	拔杆	Driving lever	1	
4	255021520099	保险销	Preventer pin	1	
5	281221521049	固定板	Fixed plate	1	
6	910400100006	平垫圈GB97.1-8-200HV	Washer GB97.1-8-200HV	1	
7	910400500006	弹簧垫圈GB93-8	Spring washers GB93-8	1	
8	910200200053	螺钉GB70.1-M8x12-8.8	Screw GB70.1-M8x12-8.8	1	
9	255021020059	星形把手	Star grip knob	1	
10	910100300071	螺栓GB5783-M16x45-8.8	Bolt GB5783-M16x45-8.8	4	


0

护顶架/OVERHEAD GUARD




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
A	271522011001	护顶架焊合	The top guard welded	1	
1	252022020050	充电插座线垫圈	Protective tape	3	
2	910300100008	螺母GB6170-M12-10	Nut GB6170-M12-10	4	
3	910400500008	弹簧垫圈GB93-12	Spring washers GB93-12	8	
4	910400100008	平垫圈GB97.1-12-200HV	Washer GB97.1-12-200HV	8	
5	910100300050	螺栓GB5783-M12x30-8.8	Bolt GB5783-M12x30-8.8	8	
6	255022020004	尾灯出线圈	Protective tape	2	

多路换向阀操纵(三联) / MULTIPLEX VALVE OPERATION (three)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	281824520003	手柄球(属具1-黑)	Handle ball (Attachment1-Black)	1	255025020002 2025. 4. 19更改手柄球
2	271525011006	操纵杆焊合(属具1)	Joystick welding(tool1)	1	
3	281824520002	手柄球(倾斜-黑)	Handle ball (Tilted-Black)	1	255024520023 2025. 4. 19更改手柄球
4	271524511005	操纵杆焊合(倾斜)	Joystick welding(tilt)	1	
5	272324511001	操纵杆总成(起升按钮)	Joystick assembly(lifting)	1	
6	255024520065	护套	protector	3	
7	940500100006	复合套Φ16xΦ18x15-SF-1	Composite setΦ16xΦ18x15-SF-1	6	
8	255024510009	带耳轴Φ16x168	With trunnion Φ16x168	1	
9	910400100005	平垫圈GB97.1-6-200HV	Washer GB97.1-6-200HV	9	
10	910400500005	弹簧垫圈GB93-6	Spring washers GB93-6	7	
11	910100300009	螺栓GB5783-M6x12-8.8	Bolt GB5783-M6x12-8.8	5	
12	910400100007	平垫圈GB97.1-10-200HV	Washer GB97.1-10-200HV	6	
13	910400500007	弹簧垫圈GB93-10	Spring washers GB93-10	6	
14	910100300036	螺栓GB5783-M10x25-8.8	Bolt GB5783-M10x25-8.8	4	
15	271524521017	连接杆	Connecting rod	3	
16	910300100006	螺母GB6170-M8-10	Nut GB6170-M8-10	3	
17	255025020003	接头	joint	3	
18	941100800001	销轴B4.75x20-c1B	Pin B4.75x20-c1B	6	
19	910600600011	开口销GB91-2x12	Cotter pin GB91-2x12	6	
20	272323520033	接头(锁定弯)10-M20x1.5-M14x1.5-24	Joint(bend)10-M20x1.5-M14x1.5-24	2	271523520007 2025. 4. 19更改24°锥
21	272323520032	接头(锁定弯)10-M20x1.5-M14x1.5-24	Joint(bend)10-M20x1.5-M14x1.5-24	2	271523520008 2025. 4. 19更改24°锥
22	271525011001	多路阀(三联)	Multiple valve(three)	1	选装
22	271525012001	多路阀(三联电磁阀)	Multiple valve(three) solenoid	1	选装 2023. 12. 25
23	272324521028	行程开关支架(起升12E)	Bracket (travel switch)	1	选装
23					选装
24	272324521027	行程开关支架(12E)	Bracket (12E)	2	选装 2024. 11. 05
A	255098511010	电磁阀一中盛兴	Solenoid valve	1	选装 2024. 11. 04
25	255098512001	电磁阀线圈(24V)一中盛兴	Solenoid coil (24V)	1	选装 2024. 11. 04
26	255098512002	电磁阀阀芯一中盛兴	Solenoid valve spool	1	选装 2024. 11. 04

多路换向阀操纵(四联) / MULTIPLEX VALVE OPERATION (four)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	281824520004	手柄球(属具2-黑)	Handle ball (Attachment2-Black)	1	255025520002 2025. 4. 19更改手柄球
2	271525511007	操纵杆焊合(属具2)	Joystick welding(tool 2)	1	
3	281824520003	手柄球(属具1-黑)	Handle ball (Attachment1-Black)	1	255025020002 2025. 4. 19更改手柄球
4	271525011006	操纵杆焊合(属具1)	Joystick welding(tool 1)	1	
5	281824520002	手柄球(倾斜-黑)	Handle ball (Tilted-Black)	1	255024520023 2025. 4. 19更改手柄球
6	271524511005	操纵杆焊合(倾斜)	Joystick welding(tilt)	1	
7	272324511001	操纵杆总成(起升按钮)	Joystick assembly(lifting)	1	
8	255024520065	护套	protector	4	
9	940500100006	复合套Φ16xΦ18x15-SF-1	Composite set Φ16xΦ18x15-SF-1	8	
10	255024510009	带耳轴Φ16x168	With trunnion Φ16x168	1	
11	910400100005	平垫圈GB97.1-6-200HV	Washer GB97.1-6-200HV	9	
12	910400500005	弹簧垫圈GB93-6	Spring washers GB93-6	7	
13	910100300009	螺栓GB5783-M6x12-8.8	Bolt GB5783-M6x12-8.8	5	
14	910400100007	平垫圈GB97.1-10-200HV	Washer GB97.1-10-200HV	6	
15	910400500007	弹簧垫圈GB93-10	Spring washers GB93-10	6	
16	910100300036	螺栓GB5783-M10x25-8.8	Bolt GB5783-M10x25-8.8	4	
17	271524521017	连接杆	Connecting rod	4	
18	910300100006	螺母GB6170-M8-10	Nut GB6170 M8-10	4	

门架 (标准门架)/MAST(stand mast)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	272344012001	内门架 (2500)	Inner mast (2500)	1	H=2500
1	272344012002	内门架 (2700)	Inner mast (2700)	1	H=2700
1	272344012003	内门架 (3000)	Inner mast (3000)	1	H=3000
1	272344012004	内门架 (3300)	Inner mast (3300)	1	H=3300
1	272344012005	内门架 (3500)	Inner mast (3500)	1	H=3500
1	272344012006	内门架 (3700)	Inner mast (3700)	1	H=3700
1	272344012007	内门架 (4000)	Inner mast (4000)	1	H=4000
2	275244020003	外抱箍	The hoop	2	
3	275244020004	内抱箍	The hoop	2	
4	910400100006	平垫圈GB97.1-8-200HV	The flat washer GB97.1-8-200 HV	6	
5	910400500006	弹簧垫圈GB93-8	Spring washer GB93-8	6	
6	910100300024	螺栓GB5783-M8x30-8.8	Bolt GB5783 M8x30-8.8	4	
7	910400100008	平垫圈GB97.1-12-200HV	The flat washer GB97.1-12-200 HV	6	
8	910400500008	弹簧垫圈GB93-12	Spring washer GB93-12	6	
A	272344014001	起升链条LH1034-95	Lifting chain LH-95	2	H=2500
A	272344014002	起升链条LH1034-101	Lifting chain LH-101	2	H=2700
A	271544014003	起升链条LH1034-111	Lifting chain LH-111	2	H=3000
A	272344014006	起升链条LH1034-123	Lifting chain LH-123	2	H=3300
A	272344014003	起升链条LH1034-127	Lifting chain LH-127	2	H=3500
A	271544514008	起升链条LH1034-133	Lifting chain LH-133	2	H=3700
A	272344014004	起升链条LH1034-145	Lifting chain LH-145	2	H=4000
9	910100300051	螺栓GB5783-M12x35-8.8	Bolt GB5783-M12x35-8.8	2	
10	910401300020	轴用弹性挡圈GB894.1-40	Axis with elastic catch GB894.1-40	6	
11	940200500005	链轮轴承782208-Φ70xΦ40x21	Sprocket wheel bearing	2	
12	272344011001	外门架 (2500)	Outer mast 2500	1	H=2500
12	272344011002	外门架 (2700)	Outer mast 2700	1	H=2700
12	272344011003	外门架 (3000)	Outer mast 3000	1	H=3000
12	272344011004	外门架 (3300)	Outer mast 3300	1	H=3300
12	272344011005	外门架 (3500)	Outer mast 3500	1	H=3500
12	272344011006	外门架 (3700)	Outer mast 3700	1	H=3700
12	272344011007	外门架 (4000)	Outer mast 4000	1	H=4000
13	940200300003	复合滚轮Φ70.6-range=43.5-47.5	Composite roller Φ 70.6-	4	
14	910200500028	螺钉GB818-M4x30-4.8	Chain bolt GB818-M4x30-4.8	2	

门架 (标准门架)/MAST(stand mast)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
15	910400100005	平垫圈GB97.1-6-200HV	The flat washer GB97.1-6-200 HV	2	
16	910400500005	弹簧垫圈GB93-6	Spring washer GB93-6	2	
17	910300100003	螺母GB6170-M4-10	Nut GB6170-M4-10	2	
18	910200200035	螺钉GB70.1-M6x16-8.8	Chain bolt GB70.1-M6x16-8.8	2	
19	271544020006	安装板(限位开关)	Mounting plate (limit switch)	1	
20	910100300022	螺栓GB5783-M8x20-8.8	Bolt GB5783-M8x20-8.8	4	
21	272344010002	带耳轴Φ20x55	With trunnion Φ20x55	4	
22	272344021008	门架固定销轴	Door frame fixed pin shaft	2	
23	272344021080	耐磨套Φ30xΦ38x25	Wear resistant sleeve φ30xφ38x25	2	
24	272344021006	胶管护板	Hose guard plate	1	
25	910200500052	螺钉GB818-M6x16-4.8	Chain bolt GB70.1-M6x16-4.8	3	
26	910100300056	螺栓GB5783-M12x60-8.8	Bolt GB5783-M12x60-8.8	4	
27	271544020108	LH1034链条销轴	LH1034 chain pin	2	
28	910600600015	开口销GB91-2x20	Cotter pin GB91-2x20	2	
29	910600600030	开口销GB91-3.2x30	Cotter pin GB91-3.2x30	2	
30	271544020107	链条螺栓M16x1.5x142.5	Chain bolt m16x1.5x142.5	1	
31	254144020066	球面螺母M16x1.5	Spherical nut m16x1.5	2	
32	910300200008	螺母GB6171-M16x1.5-10	Nut GB6171 - M16x1.5-10	2	
33	271544020109	链条螺栓M16x1.5x87	Chain bolt m16x1.5x87	1	
34	910900400004	板式链GB6074-LH1034	Plate chain GB6074 - LH1034	1	




9	272343511007	外门架焊合(4000)	Outer mast 4000	1	H=4000
10	272344021080	耐磨套Φ30xΦ38x25	Wear-resistant sleeve Φ 30x Φ	2	
11	272344021008	门架固定销轴	Door frame fixed pin shaft	2	
12	910400100008	平垫圈GB97.1-12-200HV	The flat washer GB97.1-12-200 HV	4	
13	910400500008	弹簧垫圈GB93-12	Spring washer GB93-12	4	
14	910100300056	螺栓GB5783-M12x60-8.8	Bolt GB5783-M12x60-8.8	4	
15	272344021006	防护板	Shields	1	

起升管路(两级全自由门架)/LIFTING PIPEING(two-stage full free mast)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	257123520032	接头(直)12-M20x1.5-M18x1.5-24°	Joint (straight)12-M20x1.5-	1	271544029005 2025. 4. 19更改24° 锥
2	272344019008	液压钢管总成(左)	Hydraulic steel tube assembly (left)	1	272344019002 2025. 4. 19更改24° 锥
3	272344029602	液压管总成(90°)12-L610-2SC-24°	Hydraulic pipe assembly (90	1	272344029003 2025. 4. 19更改24° 锥
4	272344029601	液压管总成(直)10-L300-1SC-24°	Hydraulic pipe assembly	1	272344029001 2025. 4. 19更改24° 锥
5	272344019009	液压钢管总成(右)	Hydraulic steel tube assembly	1	272344019004 2025. 4. 19更改24° 锥
6	271544029001	防爆阀(24°)	Explosion-proof valve	1	271598520002 2025. 4. 19更改24° 锥
7	910100400009	螺栓GB5786-M12x1.25x25-8.8	Bolt GB5786-M12x1.25x25-8.8	1	
8	910400500008	弹簧垫圈GB93-12	Spring washer GB93-12	1	
9	910400100008	平垫圈GB97.1-12-200HV	The flat washer GB97.1-12-200 HV	1	
10	272323520031	接头(锁定弯)12-M18x1.5-M22x1.5-	Joint (lock) 12-M18x1.5-M22x1.5-	1	281244529001 2025. 4. 19更改24° 锥
11	272343529601	液压管总成(直)12-L240-1SC-24°	Hydraulic pipe assembly	1	H=2000 271543529111 2025. 4. 19更改24° 锥
11	272343529602	液压管总成(直)12-L300-1SC-24°	Hydraulic pipe assembly	1	H=2500 271543529111 2025. 4. 19更改24° 锥
11	272343529603	液压管总成(直)12-L400-1SC-24°	Hydraulic pipe assembly	1	H=2700 271543529112 2025. 4. 19更改24° 锥
11	272343529604	液压管总成(直)12-L360-1SC-24°	Hydraulic pipe assembly	1	H=3000 271543529113 2025. 4. 19更改24° 锥
11	272343529605	液压管总成(直)12-L500-1SC-24°	Hydraulic pipe assembly	1	H=3300 271543529114 2025. 4. 19更改24° 锥
11	272343529604	液压管总成(直)12-L360-1SC-24°	Hydraulic pipe assembly	1	H=3500 271543529113 2025. 4. 19更改24° 锥
11	272343529605	液压管总成(直)12-L500-1SC-24°	Hydraulic pipe assembly	1	H=3700 271543529114 2025. 4. 19更改24° 锥
11	272343529604	液压管总成(直)12-L360-1SC-24°	Hydraulic pipe assembly	1	H=4000 271543529113 2025. 4. 19更改24° 锥
12	271543529127	起升钢管焊合L=820	Lifting steel pipe welding L=820	1	H=2000 271543529107 2025. 4. 19更改24° 锥
12	271543529121	起升钢管焊合L=960	Lifting steel pipe welding L=960	1	H=2500 271543529101 2025. 4. 19更改24° 锥
12	271543529121	起升钢管焊合L=960	Lifting steel pipe welding L=960	1	H=2700 271543529101 2025. 4. 19更改24° 锥
12	271543529122	起升钢管焊合L=1200	Lifting steel pipe welding L=1200	1	H=3000 271543529102 2025. 4. 19更改24° 锥
12	271543529122	起升钢管焊合L=1200	Lifting steel pipe welding L=1200	1	H=3300 271543529102 2025. 4. 19更改24° 锥
12	271543529123	起升钢管焊合L=1450	Lifting steel tube welding L=1450	1	H=3500 271543529103 2025. 4. 19更改24° 锥
12	271543529123	起升钢管焊合L=1450	Lifting steel tube welding L=1450	1	H=3700 271543529103 2025. 4. 19更改24° 锥
12	271543529124	起升钢管焊合L=1650	Lifting steel pipe welding L=1650	1	H=4000 271543529104 2025. 4. 19更改24° 锥
13	910200200035	螺钉GB70.1-M6x16-8.8	Screw GB70.1 M6x16-8.8	1	
14	910400500005	弹簧垫圈GB93-6	Spring washer GB93-6	1	
15	951000100003	管夹YGE包胶15	Pipe clamp YGE wrap 15	1	
16	950400400005	接头(直)12-M22x1.5-M18x1.5-24°	Joint (straight)12-M22x1.5-	1	254144520040 2025. 4. 19更改24° 锥

侧移器及管路安装(两级全自由门架)/SIDE SHIFTER AND PIPING(two-stage full free mast)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	910100300022	螺栓GB5783-M8x20-8.8	Bolt GB5783-M8x20-8.8	2	
2	910400500006	弹簧垫圈GB93-8	Spring washers GB93-8	8	
3	910400100006	平垫圈GB97.1-8-200HV	Plain washers GB97.1-8-200HV	8	
4	271529010101	外导槽焊合(四联)L=570	Outer guide groove welding L=570	2	H=2500
4	271529010102	外导槽焊合(四联)L=670	Outer guide groove welding L=670	2	H=2700
4	271529010103	外导槽焊合(四联)L=820	Outer guide groove welding L=820	2	H=3000
4	271529010104	外导槽焊合(四联)L=970	Outer guide groove welding L=970	2	H=3300
4	271529010105	外导槽焊合(四联)L=1070	Outer guide groove welding	2	H=3500
4	271529010106	外导槽焊合(四联)L=1170	Outer guide groove welding	2	H=3700
4	271529010107	外导槽焊合(四联)L=1370	Outer guide groove welding	2	H=4000
5	910100300014	螺栓GB5783-M6x35-8.8	Bolt GB5783-M6x35-8.8	2	
6	910400500005	弹簧垫圈GB93-6	Spring washers GB93-6	2	




18	272344529606	液压管总成(直)12-L3570-2SC-24°	Hydraulic tube assembly 12-	1	H=5000	272344519103	2025. 4. 19更改24° 锥
19	271544529004	滑轮Φ84x18(单槽)	Pulley Φ84x18(single)	1			
20	255036020007	衬套Φ20XΦ13x19	Bush Φ20XΦ13x19	1			
21	910400100008	平垫圈GB97.1-12-200HV	Washer GB97.1-12-200HV	1			
22	910400500008	弹簧垫圈GB93-12	Spring washer GB93-12	1			
23	910100300052	螺栓GB5783-M12x40-8.8	Bolt GB5783-M12x40-8.8	1			

侧移器及管路安装 (三级全自由门架)/Side shifter and pipeline installation(three-stage full free mast)




序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark		
1	272330529611	液压管总成(直)8-L3650-1SC-24°	Hydraulic tube assembly (straight) 8 - L3650-	2	H=4000	272327520002	2025. 4. 19更改24° 锥
	272330529612	液压管总成(直)8-L3750-1SC-24°	Hydraulic tube assembly (straight) 8 - L3750-	2	H=4350	271529020155	2025. 4. 19更改24° 锥
	272330529613	液压管总成(直)8-L3850-1SC-24°	Hydraulic tube assembly (straight) 8 - L3850-	2	H=4500	271527520004	2025. 4. 19更改24° 锥
	272330529614	液压管总成(直)8-L4050-1SC-24°	Hydraulic tube assembly (straight) 8 - L4050-	2	H=4800	271527520005	2025. 4. 19更改24° 锥
	272330529615	液压管总成(直)8-L4250-1SC-24°	Hydraulic tube assembly (straight) 8 - L4250-	2	H=5000	271527520006	2025. 4. 19更改24° 锥
2	271530520104	滑轮Φ54x38(单槽)	Pulley Φ 54x38 (single slot)	1			
3	271530520105	衬套Φ20xΦ13x33	Bushing Φ 20XΦ 13 x 20	1			
4	910400100008	平垫圈GB97.1-12-200HV	The flat washer GB97.1-12-200 HV	2			
5	910400500008	弹簧垫圈GB93-12	Spring washer GB93-12	1			
6	910100300055	螺栓GB5783-M12x55-8.8	Bolt GB5783 M12x55-8.8	1			
7	271530520102	胶管固定板	Hose clamp	1			
8	271544001101	双孔管夹	Double pipe clamp	5			
9	910400100006	平垫圈GB97.1-8-200HV	The flat washer GB97.1-8-200 HV	7			
10	910400500006	弹簧垫圈GB93-8	Spring washer GB93-8	7			
11	910100300023	螺栓GB5783-M8x25-8.8	Bolt GB5783 M8x25-8.8	7			
12	272330529601	液压管总成(直)8-L1990-1SC-24° -0	Hydraulic tube assembly (straight) 8-L1990-	2	H=4000	271530520151	2025. 4. 19更改24° 锥
	272330529602	液压管总成(直)8-L2050-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2050-	2	H=4350	271530520152	2025. 4. 19更改24° 锥
	272330529603	液压管总成(直)8-L2140-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2140-	2	H=4500	271530520153	2025. 4. 19更改24° 锥
	272330529604	液压管总成(直)8-L2240-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2240-	2	H=4800	271530520154	2025. 4. 19更改24° 锥
	272330529605	液压管总成(直)8-L2340-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2340-	2	H=5000	271530520155	2025. 4. 19更改24° 锥
13	272330510001	液压钢管总成(三联)	Hydraulic steel tube assembly	1		271530511001	2025. 4. 19更改24° 锥
14	271530520103	安装板	Mounting plate	1			
15	271527521003	滑轮Φ74x46(双槽)	Pulley Φ x46 74 (dual slot)	3			
16	271530520106	衬套Φ20xΦ13x41	Bushing Φ Φ x41 13 x 20	1			
17	910100300056	螺栓GB5783-M12x60-8.8	Bolt GB5783 M12x60-8.8	1			
18	272042510001	侧移器总成(联动)	Side shifter assembly (linkage)	1			
19	910800100042	O形圈-外13.6x2.4	O-rings 13.6x2.4	2			

双附加管路 (三级全自由门架)/SIDE SHIFTER AND PIPING(three-stage full free mast)





序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
1	910100100056	螺栓GB5782-M12x90-8.8	Bolt GB5782-M12x90-8.8	1	
2	910400500008	弹簧垫圈GB93-12	Spring Washer GB93-12	2	
3	910400100008	平垫圈GB97.1-12-200HV	Flat Washer GB97.1-12-200HV	2	
4	254130520016	衬套Φ20xΦ13x43	Bushing Φ20xΦ13x43	1	
5	271527521003	滑轮Φ74x46(双槽)	Pulley Φ74x46	2	
6	910200200038	螺钉GB70.1-M6x25-8.8	Screw GB70.1-M6x25-8.8	4	
7	910400500005	弹簧垫圈GB93-6	Spring Washer GB93-6	4	
8	271531020103	压板(三孔)	Pressure Plate (three holes)	4	
9	271530520102	胶管固定板	Hose fixing plate	2	
10	910400100006	平垫圈GB97.1-8-200HV	Flat Washer GB97.1-8-200HV	8	



11	910400500006	弹簧垫圈GB93-8	Spring Washer GB93-8	10			
12	910100300022	螺栓GB5783-M8x20-8.8	Bolt GB5783-M8x20-8.8	4			
13	272331029601	液压管总成(直)8-L4300-1SC-24°	Hydraulic tube assembly (straight)	2	H=4000	271531020111	2025. 4. 19更改24° 锥
13	272331029602	液压管总成(直)8-L4500-1SC-24°	Hydraulic tube assembly (straight)	2	H=4350	271531020112	2025. 4. 19更改24° 锥
13	272331029603	液压管总成(直)8-L4600-1SC-24°	Hydraulic tube assembly (straight)	2	H=4500	272327520003	2025. 4. 19更改24° 锥
13	272331029604	液压管总成(直)8-L4800-1SC-24°	Hydraulic tube assembly (straight)	2	H=4800	271531020114	2025. 4. 19更改24° 锥
13	272331029605	液压管总成(直)8-L5000-1SC-24°	Hydraulic tube assembly (straight)	2	H=5000	271527520008	2025. 4. 19更改24° 锥
14	272331010001	钢管总成(四联)	Steel tube assembly (quadruple)	1		271531011001	2025. 4. 19更改24° 锥
15	271530520103	安装板	Mounting plate	2			
16	271544021302	管夹体	Pipe clamp	4			
17	271544021303	盖板	Cover Plate	4			
18	910400500005	弹簧垫圈GB93-6	Spring Washer GB93-6	4			
19	910100300014	螺栓GB5783-M6x35-8.8	Bolt GB5783-M6x35-8.8	4			
20	272330529601	液压管总成(直)8-L1990-1SC-24° -0	Hydraulic tube assembly (straight) 8-L1990-	2	H=4000	271530520151	2025. 4. 19更改24° 锥
20	272330529602	液压管总成(直)8-L2050-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2050-	2	H=4350	271530520152	2025. 4. 19更改24° 锥
20	272330529603	液压管总成(直)8-L2140-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2140-	2	H=4500	271530520153	2025. 4. 19更改24° 锥
20	272330529604	液压管总成(直)8-L2240-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2240-	2	H=4800	271530520154	2025. 4. 19更改24° 锥
20	272330529605	液压管总成(直)8-L2340-1SC-24° -0	Hydraulic tube assembly (straight) 8-L2340-	2	H=5000	271530520155	2025. 4. 19更改24° 锥
21	910100300056	螺栓GB5783-M12x60-8.8	Bolt GB5783-M12x60-8.8	1			

短升降油缸 (三级全自由) /Short lift cylinder (three-stage full free mast)



序号/NO	编码/SN	名称/Name	Name	数量/QTY	备注/Remark
A	271544518001	油缸(M)(H=4000)	Oil cylinder (M) Φ 56 xΦ45 x497	1	H=4000
	271544518002	油缸(M)(H=4350)	Oil cylinder (M) Φ 56 xΦ45 x597	1	H=4350
	271544518003	油缸(M)(H=4500)	Oil cylinder (M) Φ 56 xΦ45x 747	1	H=4500
	271544518004	油缸(M)(H=4500)	Oil cylinder (M) Φ 56 xΦ45 x897	1	H=4800
	271544518005	油缸(M)(H=5000)	Oil cylinder (M) Φ 56 xΦ45 x997	1	H=5000
B	272344515001	起升链条LH1044-79	Lifting chain LH1044-79	1	H=4000
	▲	起升链条LH1044-81	Lifting chain LH1044-81	1	H=4350
	272344515002	起升链条LH1044-85	Lifting chain LH1044-85	1	H=4500
	272344515006	起升链条LH1044-87	Lifting chain LH1044-87	1	H=4800
	272344515004	起升链条LH1044-95	Lifting chain LH1044-95	1	H=5000
C	271598510002	密封件修理包(中间缸)	Seal repair kit (middle cylinder)	1	包含
1	▲	防尘圈	Shaft with 40 x 50 x 6 _11	1	
2	▲	密封圈	DH40 x 48 x 5 x 6.5	1	
3	▲	内置缸盖	Built-in cylinder head	1	
4	▲	内置缸筒	Built-in cylinder	1	
5	▲	挡片53X63X3	53 x63x3 block slice	1	
6	▲	右缸底	The bottom right	1	
7	▲	活塞杆	The piston rod	1	
8	▲	活塞	The piston	1	
9	▲	支承环58X63X13	Bearing ring 58 x63x13	1	
10	▲	钢背轴承40X44X20	Steel back bearing 40X44X20	1	
11	▲	O型圈	O-rings D68X3. 1	1	
12	▲	孔用密封圈	Hole with 53 * 63 * 6 _11	1	
13	940800600004	抱箍组件Φ80	Holding hoop assembly Φ80	1	
14	271544520003	链轮架	Sprocket Rack	1	
15	271544520002	链轮垫圈	Sprocket washers	5	
16	940200500014	链轮轴承780307-Φ90XΦ35X21	Sprocket bearings 780307-Φ90XΦ	1	
17	271544520001	链轮销轴	Sprocket pin shaft	1	
18	910401300018	轴用弹性挡圈GB894.1-35	Shaft with elastic retaining ring	2	
19	910400100008	平垫圈GB97.1-12-200HV	Plain washers GB97.1-12-200HV	1	
20	910400500008	弹簧垫圈GB93-12	Spring washers GB93-12	1	
21	910100400009	螺栓GB5786-M12x1.25x25-8.8	Bolt GB5786-M12x1.25x25-8.8	1	

起升油缸 (三级全自由) /Lifting cylinder (three-stage full free mast)

